

QUARTERLY LETTER OF INFORMATION OF THE FEDERAL HORTICULTURAL BOARD.

UNITED STATES DEPARTMENT OF AGRICULTURE.

NO. 32.

JULY, 1919

GENERAL NOTES.

Two quarantines have been promulgated since the issuance of "Quarterly Letter of Information" No. 31, April, 1919, namely, Domestic Quarantine No. 38, on account of the black stem rust, and Foreign Quarantine No. 39, with regulations, on account of flag smut and takeall diseases.

Quarantine No. 38 provides that no plants of the following species of Berberis shall be moved or allowed to move interstate to points outside of the quarantined area:

Berberis aethenis, B. altaica, B. amurensis, B. aristata, B. asiatica, B. atropurpurea, B. brachybotrys, B. brevipaniculata, B. buxifolia, B. canadensis, B. caroliniana (carolina), B. coriaria, B. cretica, B. declinatum, B. fendleri, B. fischeri, B. fremontii, B. heteropoda, B. ilicifolia, B. integerrima, B. laciflora, B. lycium, B. macrophylla, B. neapalensis, B. neubertii, B. siberica, B. sieboldii, B. sinensis, B. trifoliolata, B. umbellata, B. vulgaris, including its subspecies and horticultural varieties Mahonia aquifolium, M. diversifolia, M. glauca, and M. repens.

The following States have been quarantined, effective May 1, 1919:

Alabama, Arizona, Arkansas, California, Connecticut, Delaware, Florida, Georgia, Idaho, Kansas, Kentucky, Louisiana, Maine, Maryland, Massachusetts, Mississippi, Missouri, Nevada, New Hampshire, New Jersey, New Mexico, New York, North Carolina, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Utah, Vermont, Virginia, Washington, and West Virginia, and the District of Columbia.

Quarantine No. 39, with regulations (effective on and after August 15, 1919), prohibits the importation of seed or paddy rice from Australia, India, Japan, Italy, France, Germany, Belgium, Great Britain, Ireland, and Brazil, on account of two dangerous plant diseases known as flag smut (*Urocystis tritici*) and take-all (*Ophiobolus graminis*). Wheat, oats, barley, and rye may be imported from the countries named only on compliance with the conditions prescribed in the regulations of the Secretary of Agriculture.

C. L. MARLATT, Chairman of Board.

182899-19-1

LIST, BY COUNTRIES, OF PESTS COLLECTED AND REPORTED FROM APRIL 1, 1919, TO JUNE 30, 1919, INCLUSIVE.

[The number in parentheses following name of host indicates the number of times reported, if collected more than once.]

| | ** |
|--|---|
| Country of origin and name of pest. | Host. |
| | |
| AFRICA. | |
| Insects: | <u></u> |
| Calandra oryza (rice weevil) | Wheat. |
| Coccotrypes sp. (Scolytidae) | Palm puts. |
| Curculionid | Wheat. |
| Cymatodera sp. (Cleridae). | Palm nuts. |
| Necrobia rufipes (red-legged ham beetle) | Do. |
| Targionia hartii (scale insect) | Sweet potatoes. |
| D ₀ | Yams. |
| Diseases: | Steam beauthers and the |
| Cladotrichum sp. | Strophanthus gratus. |
| Diplosporium spFusarium sp | Achras zapota. Do. |
| Do. | Cassia fistula. |
| Do | |
| Do | Elephantopus floribunda. |
| Do | Hyophorbe verschaffeltii. |
| Do | Tephrosia vogelii. Thrinax microcarpa. |
| Mycogyne puccinioides. | Elephantopus floribunda. |
| Sporotrichum sp. | Tephrosia vogelii. |
| Zychorrhynchus sp. | Caesalpinia. |
| Zyenormynenus sp. | Caesarpinia. |
| ALGERIA. | |
| Incodes | |
| Microbracon sp. (Braconidae) Parlatoria calianthina (scale insect) | Trifolium panormitanum. |
| Parlatoria calianthina (scala insect) | Pyrus communis. |
| Phycitid. | Cotton seed. |
| Disease: | Cotton seed. |
| Phyllachora trifolii | Trifolium panormitanum. |
| I hymachora difform | Timonum panorimitanum. |
| ARGENTINA. | • |
| Diseases: | |
| | Oxalis. |
| Aspergillus Aspergillus flavus | Larrea divaricata. |
| Chaetomium olivaceum. | Oxalis (?). |
| Dendrodochium sp | Oxalis. |
| Verticillium sp. | Do. |
| | |
| AUSTRALIA. | * |
| Insects: | |
| Alphitobius piceus (Tenebrionidae) | Wheat. |
| Calandra oryza (rice weevil) | Wheat (2) |
| Saissetia hemisphaerica (hemispherical scale) | Chrysanthemum. |
| Silvanus surinamensis (saw-toothed grain beetle). | Wheat. |
| Tribolium confusum (confused flour beetle) | Do. |
| Disease: | |
| Cephalothecium roseum | Chrysanthemum. |
| | <u> </u> |
| BELGIUM. | |
| Insects: | |
| Aphid | |
| Apicia confusaria (Geometridae) | Boxwood. |
| Aspidiotus britannicus (scale insect) | Bay trees. |
| DoAspidiotus hederae (ivy scale) | Laurel trees. |
| Aspidiotus nederae (ivy scale) | \mathbf{D}_{0} . |
| Onrysomphaius aonidum (Florida red scale) | Do. (2) |
| Coccus hesperidum (soft brown scale) | Bay trees (8). |
| Gracilaria zachrysa (azalea leaf-miner) | Azalea (2) |
| Hemichionaspis aspidistrae (Aspidistra scale). | Azalea sp. |
| Macrosiphum sanborni (Chrysanthemum aphis). | Greenhouse plants. |
| Phlyctaenia ferrugalis (green-house leaf-tyer) | Azalea. |
| Disease: | T (0) |
| Exobasidium sp | Do. (2). |
| | |

| Country of origin and name of pest. | Host. |
|--|--|
| BERMUDA. | |
| Insects: Diaspis boisduvalii (scale insect) | Pandanus. |
| Do | Pandanus veitchii. |
| Diaspis sp. (scale insect) | Do. Aspidistra. |
| BRAZIL, | |
| Insect: Cathartus advena (foreign grain beetle) | Coix. |
| Disease: Aspergillus flavus | Theobroma cacao. |
| BRITISH GUIANA. | |
| Disease: | |
| Monilia sp | Caryocar nucifera. |
| BRITISH WEST INDIES. | |
| Insects: Howardia biclavis (mining scale) | Cacao. |
| Pycnocelus surinamensis (roach). Do. | Bougainvillea (soil around). |
| Diseases: Cladosporium sp. | Ipomoea batatas. |
| Diplodia tuberícola | Do. |
| Fusarium sp | Colocasia esculenta. Ipomoea batatas. |
| Penicillium sp | Dioscorea pentaphylla. |
| Do | Ipomoea batatas. |
| Rhizopus nigricans | Dioscorea pentaphylla. Ipomoea batatas. |
| Sclerotium rolfsii | Colocasia esculenta. |
| CHINA. | |
| Insects: Bruchid | Leguminosae. |
| Parlatoria pergandei (chaff scale) | Citrus. |
| Cladosporium graminum | Eremochloa ophiuroides. |
| Fusarium sp | Citrus fruit. Eremochloa ophiuroides. |
| Penicillium digitatum | Citrus fruit. |
| Pseudomonas citri | Oranges (2). |
| COLOMBIA. | |
| Insects: | |
| Alphitobius piceus (Tenebrionidae) | Beans. Peas. |
| Do | Seeds. |
| Blaberus atropis (roach) | Orchids. |
| Bruchus obtectus (bean weevil) | Phaseolus vulgaris. Seeds. |
| Carpophilus dimidiatus (Nitidulidae) | Beans. Peas. |
| Euchroma gigantea var. goliath (Buprestidae) | (?) |
| Lasioderma serricorne (cigarette beetle) | Beans. Peas. |
| Do | Seeds. |
| Loberus sp. (Cryptophagidae) | Crotalaria sp. Seeds (miscellaneous). |
| Monomorium pharaonis (small red ant). | Seeds (miscenaneous). |
| Panchlora sp. (roach) | Orchids. |
| Periplaneta australasiae (roach). Pycnoscelus surinamensis (roach). | Do. Do. |
| Silvanus surinamensis (saw-toothed grain beetle) | |
| Do | Peas. |
| Strategus julianus (Scarabaeidae) | . (1) |

| | Host. |
|--|---|
| COLOMBIA—continued. | |
| iseases: | |
| Aspergillus niger | Solanum tuberosum (tubers). |
| Bacterial soft rot. | |
| Fusarium sp. | |
| Do | |
| Gloeosporium sp. | |
| | |
| Penicillium sp | Solanum tuberosum (tubers). |
| Pestalozzia guepini | Avocados (2). |
| | |
| COSTA RICA. | 10.00 |
| sects: | Anona seed. |
| Coccotrypes (Scolytidae).: | |
| Do | . Chamaedorea karwinskiana. |
| Crematogaster sp. (ant) | . Bromelia. |
| Pheidole sp. (ant) | |
| $\mathbf{D_0}$ | . Orchids. |
| | |
| CUBA. | |
| sects: | Committee |
| Anastrepha fraterculus (?) (Trypetidae) | . Grapefruit. |
| Do | . Mango (3). |
| Carpophilus dimidiatus (Nitidulidae) | . Tubers. |
| Drosophila sp. | . Mango. |
| Pseudococcus sacchari (mealy bug) | Sugar cane. |
| seases: | |
| Aspergillus flavus | Saccharum officinarum (stalks). |
| Cercospora vaginae. | Saccharum officinarum. |
| | |
| Melanconium sacchari | . Saccharum officinarum (stalks). |
| Penicillium sp | .) Do. |
| ECUADOR. | |
| iseases: | |
| Colletotrichum sp | . Avocado (bud wood). |
| Pestalozzia sp. | Rhipsalis (cuttings). |
| ENGLAND. | |
| sects: | |
| Aspidiotus hederae (ivy scale) | Palms (2). |
| Calandra oryza (rice weevil). | Rubus lutescens. |
| Calandra Oryza (lice weevil) | Oranges. |
| Cocoug hosporidum (acft brown acola) | |
| Coccus hesperidum (soft brown scale) | Oranges. |
| Diaspis boisduvalii (scale insect) | . Orchid (2). |
| Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (tessellated scale). | . Orchid (2). Cypripedium. |
| Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (tessellated scale). Lepidosaphes beckii (purple scale) | Orchid (2). Cypripedium. Oranges. |
| Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (tessellated scale). Lepidosaphes beckii (purple scale). Pseudococcus sp. (mealy bug). | Orchid (2). Cypripedium. Oranges. Actus. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. | Orchid (2). Cypripedium. Oranges. Actus. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Dosease: | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. | Orchid (2). Cypripedium. Oranges. Actus. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do sease: Exobasidium FRANCE. sects: Aphid | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid. Armadillidium vulgare (sow bug). | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid Armadillidium vulgare (sow bug). Elaterid (beetle) | Orchid (2). Oypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) A bies roots. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid Armadillidium vulgare (sow bug). Elaterid (beetle) Emphytus cinctus (sawfty). | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid Armadillidium vulgare (sow bug). Elaterid (beetle) Emphytus cinctus (sawfty). | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid. Armadillidium vulgare (sow bug). Elaterid (beetle) Emphytus cinctus (sawfly). Euproctis chrysorrhoea (brown-tail moth). | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid. Armadillidium vulgare (sow bug). Elaterid (beetle) Emphytus cinctus (sawfly). Euproctis chrysorrhoea (brown-tail moth). Do. | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. Cotoneaster (2). |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid. Armadillidium vulgare (sow bug). Elaterid (beetle). Emphytus cinctus (sawfly). Euproctis chrysorrhoea (brown-tail moth). Do. Do. | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. Cotoneaster (2). (?) |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid Armadillidium vulgare (sow bug) Elaterid (beetle). Emphytus cinctus (sawfly). Euproctis chrysorrhoea (brown-tail moth). Do. Do. Lepidosaphes ulmi (oyster-shell scale). | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. Cotoneaster (2). (?) (?) Ceanothus. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid. Armadillidium vulgare (sow bug). Elaterid (beetle). Emphytus cinctus (sawfiy). Euproctis chrysorrhoea (brown-tail moth). Do. Do. Lepidosaphes ulmi (oyster-shell scale). Do. | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. Cotoneaster (2). (?) Ceanothus. Cotoneaster amoena. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid Armadillidium vulgare (sow bug). Elaterid (beetle). Emphytus cinctus (sawfly). Euproctis chrysorrhoea (brown-tail moth). Do. Do. Lepidosaphes ulmi (oyster-shell scale). | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. Cotoneaster (2). (?) Ceanothus. Cotoneaster amoena. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale) Lepidosaphes beckii (purple scale) Pseudococcus sp. (mealy bug). Do. sease: Exobasidium FRANCE. sects: Aphid. Armadillidium vulgare (sow bug). Elaterid (beetle) Emphytus cinctus (sawfly). Euproctis chrysorrhoea (brown-tail moth). Do. Do. Lepidosaphes ulmi (oyster-shell scale). Do. Do. Do. | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. Cotoneaster (2). (?) Ceanothus. Cotoneaster amoena. Cotoneaster humifusa. |
| Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (tessellated scale). Lepidosaphes beckii (purple scale). Pseudococcus sp. (mealy bug). Do. isease: Exobasidium. FRANCE. ssects: Aphid. Armadillidium vulgare (sow bug). Elaterid (beetle). Emphytus cinctus (sawfly). Euproctis chrysorrhoea (brown-tail moth). Do. Do. Lepidosaphes ulmi (oyster-shell scale). Do. Do. Notolophus antiqua (European tussock moth). | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. Cotoneaster (2). (?) Ceanothus. Cotoneaster amoena. Cotoneaster humifusa. Pear seedling. |
| Diaspis boisduvalii (scale insect) Eucalymnatus tessellatus (tessellated scale). Lepidosaphes beckii (purple scale). Pseudococcus sp. (mealy bug). Do. isease: Exobasidium FRANCE. ssects: Aphid. Armadillidium vulgare (sow bug). Elaterid (beetle). Emphytus cinctus (sawfly). Euproctis chrysorrhoea (brown-tail moth). Do. Do. Lepidosaphes ulmi (oyster-shell scale). Do. Notolophus antiqua (European tussock moth). Do. Notolophus antiqua (European tussock moth). | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. Cotoneaster (2). (?) Ceanothus. Cotoneaster amoena. Cotoneaster humifusa. Pear seedling. Lonicera sp. |
| Diaspis boisduvalii (scale insect). Eucalymnatus tessellatus (tessellated scale). Lepidosaphes beckii (purple scale). Pseudococcus sp. (mealy bug). Do. isease: Exobasidium. FRANCE. ssects: Aphid. Armadillidium vulgare (sow bug). Elaterid (beetle). Emphytus cinctus (sawfly). Euproctis chrysorrhoea (brown-tail moth). Do. Do. Lepidosaphes ulmi (oyster-shell scale). Do. Do. Notolophus antiqua (European tussock moth). | Orchid (2). Cypripedium. Oranges. Actus. Erica sp. Rhododendrons. Cherry. (?) Abies roots. Manetti rose (3). Apple stock. Cotoneaster (2). (?) Ceanothus. Cotoneaster amoena. Cotoneaster humifusa. Pear seedling. Lonicera sp. Philadelphus coronarius. |

| Country of origin and name of pest. | Host. |
|--|---|
| FRANCE—continued. | |
| Insects—Continued. | |
| Siassetia oleae (black scale) | Abutilon corillon. |
| Do | Abutilon flore. |
| Saperda populnea (small aspen borer) | Populus bolleana. |
| Diseases: | (?). |
| Bacterium tumefaciens (crown gall) | Arborvitae. |
| Do | Rosa Manetti. |
| DoBacterium tumefaciens (hairy root) | Quince seedling. |
| Exobasidium sp | Azalea. |
| Nematode galls | (?) |
| GUATEMALA. | |
| Insects: | |
| Anastrepha fraterculus(?) (Trypetidae) | Mango (3). |
| Sitophilus linearis (Tamarind seed weevil) | Tamarind (seed). |
| Disease: Aspergillus ochraceous | Theobroma cacao (seeds). |
| insponginus commeccous. | Theoproma caeae (seeas). |
| Insect: | |
| Carpophilus sp.? (Nitidulidae) | Dioscorea. |
| 0 P P P P P P P P P P P P P P P P P P P | |
| HOLLAND. | |
| Insects: Aphid | Acer platanoides. |
| Do | Japanese maples. |
| $\overline{\mathrm{Do}}$ | Juniper. |
| Do | Roses. |
| Do | Spruce (blue). |
| Aphodius sp. (Scarabaeidae) | (?). Boxwood. |
| Armadillidium vulgare (sow-bug) | Boxwood. |
| Athous niger (Elateridae) | In soil (around rhododendron roots), |
| Do | In soil (around rhododendrons). |
| Coleophora sp. (Elachistidae) | Oak (red). Andromeda. |
| Do | (?) (3). |
| Elaterid | (?)(2). |
| Do | In soil. |
| Eriophyes quadrisetus subsp. juniperus (juniper needle mite) | Juniperus procumbens. |
| Forficulid (ear-wig) | In case. |
| Formicid (flying ant). | In soil (around rhododendrons). |
| Gracilaria zachrysa (azalea leaf-miner) | Azalea. |
| Julus fallax (Milliped) | |
| Lampyrid | (?). Haller |
| Leaf minerLecanium corni (European fruit Lecanium) | Holly. Boxwood (7). |
| Do | Ornamental trees. |
| Lecanium fletcherii (scale insect). | Thuya occidentalis lutea. |
| Lecanium sp. (scale insect) | Buxus. |
| Lepidosaphes ulmi (oyster-shell scale) | Acer. |
| Do | Beech. |
| <u>D</u> o | Boxwood (109). |
| Do | Crab apple. |
| Do | Crataegus. |
| Do | Ornamental shrubs (2. Ornamental trees. |
| | |
| Do | |
| Do | Twigs (?) (2). |
| | (?). Rhododendrons (7), |

| Otiorhynchus sulcatus (Otiorhynchidae) (?). Phyllodecta vulgatissima (Chrysomelidae) Laburnu Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo Do. Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?). Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?). White grubs In soil (Wireworm Do Wireworms In soil. Diseases: Solanum Aspergillus flavus Solanum Bacterium tumefaciens (crown gall) Crab-ap Do Rhodod Do Rhodod Exobasidium sp Rhodod Exobasidium vaccini Rhodod Fusarium Roxwoo | d. (2). d. (2). d ea. ng. inodegiri. d. s aurea. d. (30). tal shrubs. (around Azalea hinodegiri). d. |
|---|--|
| Malacosoma americana (tent-caterpillar) (?). Malacosoma disstria (forest tent caterpillar) Crataegu Malacosoma neustria (European lackey moth) Boxwood Malacosoma sp. (?) (Lasiocampidae) (?). Monarthropalpus buxi (box leaf miner) Boxwood Myrmica rubra subsp. laevinodis (ant) Boxwood Notolophus antiqua (European tussock moth) Hydrang Do Oak Do Rose Oniscid (sow-bug) (?). Do In pack Otiorhynchid (beetle) Azalea f Otiorhynchus sulcatus (Otiorhynchidae) (?). Phyllodecta vulgatissima (Chrysomelidae) Laburnu Porthetria dispar (gipsy moth) Boxwood Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwood Do Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?). Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Wireworms In soil. Diseases: Solanun | d. (2). d. (2) |
| Malacosoma disstria (forest tent caterpillar). Crataegr Malacosoma neustria (European lackey moth). Boxwood Malacosoma sp. (?) (Lasiocampidae). (?). Monarthropalpus buxi (box leaf miner). Boxwood Myrmica rubra subsp. laevinodis (ant). Boxwood Notolophus antiqua (European tussock moth). Hydrang Do. Oak. Do. Rose. Oniscid (sow-bug). (?). Do. In pack. Otiorhynchid (beetle). Azalea ! Otiorhynchus sulcatus (Otiorhynchidae). (?). Phyllodecta vulgatissima (Chrysomelidae). Laburnu Porthetria dispar (gipsy moth). Boxwood Psyche villosella (Psychidae). Juniper Psylla buxi (box psylla). Boxwood Do. Orname Sigibius puritanus (Chilopod). Packing Staphalinid. (?). Tortricid. (?). White grubs. In soil (White grubs. In soil (Wireworm. Do. Bacterium tumefaciens (crown gall). Crataeg | d. (2). d. (2) |
| Malacosoma disstria (forest tent caterpillar). Crataegr Malacosoma neustria (European lackey moth). Boxwood Malacosoma sp. (?) (Lasiocampidae). (?). Monarthropalpus buxi (box leaf miner). Boxwood Myrmica rubra subsp. laevinodis (ant). Boxwood Notolophus antiqua (European tussock moth). Hydrang Do. Oak. Do. Rose. Oniscid (sow-bug). (?). Do. In pack. Otiorhynchid (beetle). Azalea ! Otiorhynchus sulcatus (Otiorhynchidae). (?). Phyllodecta vulgatissima (Chrysomelidae). Laburnu Porthetria dispar (gipsy moth). Boxwood Psyche villosella (Psychidae). Juniper Psylla buxi (box psylla). Boxwood Do. Orname Sigibius puritanus (Chilopod). Packing Staphalinid. (?). Tetranychus sp. (red spider). Boxwood Tingitid. Rhodod Tortricid. (?). White grubs. In soil (White grubs. Solanum <td>d. (2). d. (2)</td> | d. (2). d. (2) |
| Malacosoma neustria (European lackey moth) Boxwood Malacosoma sp. (?) (Lasiocampidae) (?) Monarthropalpus buxi (box leaf miner) Boxwood Myrmica rubra subsp. laevinodis (ant) Boxwood Notolophus antiqua (European tussock moth) Hydrans Do Oak Do Rose Oniscid (sow-bug) (?) Do In pack Otiorhynchid (beetle) Azalea F Otiorhynchid sulcatus (Otiorhynchidae) (?) Phyllodecta vulgatissima (Chrysomelidae) Laburn Porthetria dispar (gipsy moth) Boxwood Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwood Do Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?) Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?) White grubs In soil Wireworms Do Do Rhodod Do Rhodod Do | d. (2). d. (2) |
| Malacosoma sp.(?) (Lasiocampidae). (?). Monarthropalpus buxi (box leaf miner). Boxwoo Myrmica rubra subsp. laevinodis (ant). Boxwoo Notolophus antiqua (European tussock moth). Hydrang Do. Oak. Do. Rose. Oriscid (sow-bug). (?). Do. In pack. Otiorhynchid (beetle). Azalea f. Otiorhynchus sulcatus (Otiorhynchidae). (?). Phyllodecta vulgatissima (Chrysomelidae). Laburna. Porthetria dispar (gipsy moth). Boxwoo Psyche villosella (Psychidae). Juniper. Psylla buxi (box psylla). Boxwoo Do. Orname. Sigibius puritanus (Chilopod). Packing. Staphalinid. (?). Tetranychus sp. (red spider). Boxwoo Tingitid. Rhodod. Torfricid. (?). White grubs. In soil. Diseases: Solanun Aspergillus flavus. Solanun Boxterium tumefaciens (crown gall). Crab-ap Do. | l (2). l. gea. ng. inodegiri. im. l. saurea. l (30). ttal shrubs. (around Azalea hinodegiri). dendons. |
| Monarthropalpus buxi (box leaf miner) Boxwood Myrmica rubra subsp. laevinodis (ant) Boxwood Notolophus antiqua (European tussock moth) Hydrang Do Oak. Do Rose. Oniscid (sow-bug) (?). Do In pack. Otiorhynchid (beetle) Azalea 1 Otiorhynchus sulcatus (Otiorhynchidae) (?). Phyllodecta vulgatissima (Chrysomelidae) Laburnu Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo Do Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?). Tetranychus sp. (red spider) Boxwoo Tingitid (?). Tortricid (?). Wireworm Do Wireworms In soil (Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crabap Do Rhodod Do | ng. inodegiri. im. l. saurea. l (30). atal shrubs. (around Azalea hinodegiri). dendons. |
| Myrmica rubra subsp. laevinodis (ant) Boxwood Notolophus antiqua (European tussock moth) Hydram Do Oak Do Rose Oniscid (sow-bug) (?) Do In pack Ottorhynchid (beetle) Azalea I Otiorhynchus sulcatus (Otiorhynchidae) (?) Phyllodecta vulgatissima (Chrysomelidae) Laburnu Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo On Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?) Tetranychus sp. (red spider) Boxwoo Tingitid (?) Wrireworm Do Wireworms In soil (Oiseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crab-ap Do Rhodod Do Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod </td <td>ng. inodegiri. im. l. saurea. l (30). atal shrubs. (around Azalea hinodegiri). dendons.</td> | ng. inodegiri. im. l. saurea. l (30). atal shrubs. (around Azalea hinodegiri). dendons. |
| Notolophus antiqua (European tussock moth) Hydrang Do | ng. inodegiri. im. i. is aurea. i (30). ntal shrubs. (around Azalea hinodegiri) i. |
| Do. Cak. Rose. | ng. inodegiri. in. d. saurea. d (30). ntal shrubs. (around Azalea hinodegiri). d. |
| Do. Rose. Oniscid (sow-bug) (?). Do. In pack. Otiorhynchid (beetle) Azalea I Otiorhynchus sulcatus (Otiorhynchidae) (?). Phyllodecta vulgatissima (Chrysomelidae) Laburnu Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Junipero Psylla buxi (box psylla) Boxwoo Do. Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?). Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Torfricid (?). White grubs In soil (Wireworm Do. Wireworms In soil. Diseases: Solanum Aspergillus flavus Solanum Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Roowoo | inodegiri. m. d. saurea. d. (30). ntal shrubs. (around Azalea hinodegiri). d. eendons. |
| Oniscid (sow-bug) (?). Do. In pack Otiorhynchid (beetle) Azalea I Otiorhynchus sulcatus (Otiorhynchidae) (?). Phyllodecta vulgatissima (Chrysomelidae) Laburnu Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo Do. Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?). Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?). Wireworm Do. Wireworms In soil (Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Rhodod Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | inodegiri. m. d. saurea. d (30). ntal shrubs. (around Azalea hinodegiri) d. eendons. |
| Do İn pack Ottorhynchid (beetle) Azalea I Ottorhynchid (bettle) (?) Ottorhynchus sulcatus (Ottorhynchidae) (?) Phyllodecta vulgatissima (Chrysomelidae) Laburnu Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo Do Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?) Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?) Wireworm Do Wireworms In soil (Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crab-ap Do Rhodod Do Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | inodegiri. m. d. saurea. d (30). ntal shrubs. (around Azalea hinodegiri) d. eendons. |
| Otiorhynchid (beetle) Azalea I Otiorhynchus sulcatus (Otiorhynchidae) (?) Phyllodecta vulgatissima (Chrysomelidae) Laburnu Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo Do Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?) Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?) Wireworm Do Wireworms In soil (Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crataeg Do Rhodod Do Viburnu Botrytis cinerea Kalmia. Do Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | inodegiri. m. d. saurea. d (30). ntal shrubs. (around Azalea hinodegiri) d. eendons. |
| Otiorhynchus sulcatus (Otiorhynchidae) (?). Phyllodecta vulgatissima (Chrysomelidae) Laburnu Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo Do. Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?). Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?). White grubs In soil (Wireworm Do. Diseases: Solanum Aspergillus flavus Solanum Bacterium tumefaciens (crown gall) Crataeg Do. Rhodod Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | om. d. l. ls aurea. d (30). ntal shrubs. (around Azalea hinodegiri) d. eendons. |
| Phyllodecta vulgatissima (Chrysomelidae) Laburnt Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo Do. Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?) Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?) Wireworm Do Wireworms In soil Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crataeg Do Rhodod Do Viburnu Botrytis cinerea Kalmia Do Rhodod Exobasidium sp Rhodod Exobasidium vaccini Rhodod Fusarium Boxwoo | l. is aurea. il (30). ntal shrubs. (around Azalea hinodegiri). d. eendons. |
| Phyllodecta vulgatissima (Chrysomelidae) Laburnt Porthetria dispar (gipsy moth) Boxwoo Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo Do. Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?) Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?) Wireworm Do Wireworms In soil Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crataeg Do Rhodod Do Viburnu Botrytis cinerea Kalmia Do Rhodod Exobasidium sp Rhodod Exobasidium vaccini Rhodod Fusarium Boxwoo | l. is aurea. il (30). ntal shrubs. (around Azalea hinodegiri) d. eendons. |
| Porthetria dispar (gipsy moth) Boxwood Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwood Do. Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?). Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?). White grubs In soil (Wireworm Do. Viseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Viburnu Botrytis cinerea Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | l. is aurea. il (30). ntal shrubs. (around Azalea hinodegiri) d. eendons. |
| Psyche villosella (Psychidae) Juniper Psylla buxi (box psylla) Boxwoo Do Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?). Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?). White grubs In soil (Wireworm Do Wireworms In soil. Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crab-ap Do Rhodod Do Viburnt Botrytis cinerea Kalmia. Do Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | ns aurea. 1 (30). ntal shrubs. (around Azalea hinodegiri). d. rendons. |
| Psylla buxi (box psylla) Boxwoo Do. Orname Staphalinid. (?). Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?). White grubs In soil (Wireworm Do. Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens (crown gall) Crataeg Do. Rhodod Do. Viburnt Botrytis cinerea Kalmia. Do Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | l (30). ntal shrubs. (around Azalea hinodegiri). d. eendons. |
| Do Orname Sigibius puritanus (Chilopod) Packing Staphalinid (?) Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?) Wireworm Do Wireworms In soil Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens Crataegt Bacterium tumefaciens (crown gall) Crab-ap Do Rhodod Do Rhodod Exobasidium sp Rhodod Exobasidium vaccini Rhodod Fusarium Roxwoo | ntal shrubs. (around Azalea hinodegiri). d. endons. |
| Sigibius puritanus (Chilopod) Packing Staphalinid (?) Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?) White grubs In soil (Wireworm Do. Wireworms In soil. Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens Crataeg Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Viburnu Botrytis cinerea Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | (around Azalea hinodegiri). d. endons. |
| Staphalinid (?). Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Torptricid (?). White grubs In soil (Wireworm Do. Wireworms In soil. Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens Crataegr Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Viburnu Botrytis cinerea Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | d. cendons. |
| Tetranychus sp. (red spider) Boxwoo Tingitid Rhodod Tortricid (?) White grubs In soil (Wireworm Do Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens Crataegr Bacterium tumefaciens (crown gall) Crab-ap Do Rhodod Do Viburn Botrytis cinerea Kalmia. Do Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | endons. |
| Tingitid Rhodod Tortricid (?) White grubs In soil (Wireworm Do Wireworms In soil. Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens Crataeg Bacterium tumefaciens (crown gall) Crab-ap Do Rhodod Do Viburn Botrytis cinerea Kalmia. Do Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | endons. |
| Tingitid Rhodod Tortricid (?) White grubs In soil (Wireworm Do Wireworms In soil. Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens Crataeg Bacterium tumefaciens (crown gall) Crab-ap Do Rhodod Do Viburn Botrytis cinerea Kalmia. Do Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | |
| Tortricid (?). White grubs In soil (Wireworm Do. Wireworms. In soil. Diseases: Solanum Bacterium tumefaciens Crataegt Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Wiburnu Botrytis cinerea Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | |
| White grubs In soil (Wireworm Do. Wireworms In soil. Diseases: Solanun Aspergillus flavus Solanun Bacterium tumefaciens Crataeg Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Viburnu Botrytis cinerea Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | around rhedodendrons). |
| Wireworm Do. Wireworms. In soil. Diseases: Solanun Aspergillus flavus. Solanun Bacterium tumefaciens Crataegr Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Viburn Botrytis cinerea Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini. Rhodod Fusarium Boxwoo | |
| Wireworms In soil. Diseases: Solanum Aspergillus flavus Solanum Bacterium tumefaciens Crataeg Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Viburnu Botrytis cinerea Kalmia Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | • |
| Diseases: Solanum Aspergillus flavus. Solanum Bacterium tumefaciens Crataegr Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Viburnu Botrytis cinerea. Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | • |
| Aspergillus flavus Solanun Bacterium tumefaciens Crataeg Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Viburnu Botrytis cinerea Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | |
| Bacterium tumefaciens Crataegr Bacterium tumefaciens (crown gall) Crab-ap Do. Rhodod Do. Viburn Botrytis cinerea Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | 1-1 |
| Do. Rhodod Do. Viburnt Botrytis cinerea. Kalmia. Do. Rhodod Exobasidium sp. Azalea I Exobasidium vaccini. Rhodod Fusarium. Boxwoo | |
| Do. Rhodod Do. Viburnt Botrytis cinerea. Kalmia. Do. Rhodod Exobasidium sp. Azalea I Exobasidium vaccini. Rhodod Fusarium. Boxwoo | |
| Do. Viburnu Botrytis cinerea. Kalmia. Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini. Rhodod Fusarium. Boxwoo | ple, |
| Botrytis cinerea Kalmia Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | endron. |
| Botrytis cinerea Kalmia Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | m. |
| Do. Rhodod Exobasidium sp Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | |
| Exobasidium sp. Azalea I Exobasidium vaccini Rhodod Fusarium Boxwoo | endrons (3) |
| Exobasidium vaccini. Rhodod Fusarium. Rhowoo | |
| Fusarium Boxwoo | |
| rusarium Roxwoo | |
| Description Description | |
| Penicillium sp | tuberosum. |
| Pestalozzia guepini | latifolia (2). |
| Do Rhodod | endrons. |
| | endrons (3). |
| Phoma seposita. Wistaria | |
| Phyllosticta Boxwoo | |
| | |
| Phyllosticta mahonaeicola forma microspora | |
| Phyllosticta sp. Berberia | japonica. |
| Do | i japonica. |
| Puccinia graminis (black rust of grain) | packing. |
| Rhabdospora sphaeroideaWistaria | |
| Schizophyllum commune | |
| Tubercularia vulgaris. Do. | |
| Volutella buxi Boxwoo | 4 |
| Boawoo | · |
| INDIA. | |
| nsects: | |
| | ·- 1' |
| Bruchus chinensis (weevil) | |
| Bruchus sp. (weevil) | ium. |
| Do | ium pulchellum. |
| DoLephros | ia candida. |
| Do. Mimosa | rubricaulis. |
| | |
| T | hug nenglengig (9) |
| Canaid | hus nepalensis (2). |
| Capsid | acemosa. |
| | acemosa. a kingii. |
| Do | acemosa. |
| Iridomyrmex sp. (ant) Latanur | acemosa. a kingii. |

| | Host. | | |
|---|----------------------------|--|--|
| JAPAN. | | | |
| Insects: | Th 1 | | |
| Aegeriid | Pseudocerasus sp. | | |
| Aphid | Maple. | | |
| DoAphis podi (plant-louse) | Persimmons. | | |
| Ceroplastes sp. (wax scale) | (?). Pyrus. | | |
| Chrysomphalus aurantii (California red scale). | Shaddock. | | |
| Cnidocampa flavescens (Oriental moth). | Camellia (2). | | |
| Coccus hesperidum (soft brown scale) | Cedars. | | |
| Crambus sp. (Pyralidae) | In rice straw packing. | | |
| Crematogaster brevispinosa (ant). | In packing. | | |
| Flathead borers | Photinia. | | |
| Formicid (ant). | Sago palm. | | |
| Drosophila sp. (Drosophilidae) | In packing. | | |
| Hemichionaspis aspidistrae (Aspidistra scale) | Aspidistra leaves. | | |
| Iridomyrmex humilis (ant) | In packing. | | |
| Lachnus sp. (Aphididae, sub-family Lachninae) | Juniper. | | |
| Lasiocampid | Ilex crenata. | | |
| Lasius niger (ant). | In packing. | | |
| Lecanium cerasorum (scale insect). | Wistaria. | | |
| Lecanium sp. (scale insect) | Nandina. | | |
| Do | Wiataria (3). | | |
| Melanauster chinensis (Cerambycidae). | Fig trees (2). | | |
| Monomorium pharaonis (small red ant) | In soil. | | |
| Otiorhynchid | In packing. | | |
| Parlatoria pergandei (chaff scale) | Camellia (2). | | |
| Phenacaspis sp. (scale insect) | Shaddock. | | |
| Pseudaonidia duplex (scale insect) | Azaleas. | | |
| Do | Camellia. | | |
| _ Do | Mokkoku plants. | | |
| Pseudococcus sp. (mealy bug) | Nursery stock. | | |
| <u>D</u> o | Pine (umbrella). | | |
| <u>D</u> ø | Retinospora obtusa. | | |
| D 1 Do | Wistaria (2). | | |
| Pulvinaria sp. (scale insect) | Wistaria. | | |
| Thyridopteryx ephemeraeformis (bag worm) | Cedar. | | |
| Do | Mokkoku plants. | | |
| Thyridopteryx sp. (Psychidae) | Daphne. | | |
| Thrips Xyleborus sp. (Scolytidae) | Maple. Wistaria. | | |
| Diseases: | Wistaria. | | |
| Anthracnose | Aspidistra leaves. | | |
| Bacterium tumefaciens (crown gall). | Asplustia leaves. Azaleas. | | |
| Brown velvet fungus | Cherry trees. | | |
| Colletotrichum gloeosporioides. | Citrus sinensis. | | |
| Do. | Shaddock. | | |
| Fusarium sp. | Citrus sinensis. | | |
| Penicillium sp. | Do. | | |
| Pestalozzia | Quercus ternaticupula. | | |
| • Sphaeropsis sp. | Quercus sp. | | |
| | | | |
| JAVA. | | | |
| Diseases: | | | |
| Diplodia sp | Nephelium lappaceum. | | |
| Fusarium sp | Lansium domesticum. | | |
| Do | Nephelium lappaceum. | | |
| Saccharomyces sp | Do. | | |
| | | | |
| MEXICO. | | | |
| Insects: | 0.111 | | |
| Formicid (ant) | Orchid. | | |
| Harrisina brillians (Pyromorphidae) | Cactus grandiflora. | | |
| Tanidasahashashashi (suumla saala) | | | |
| Lepidosaphes beckii (purple scale) | Grapefruit. | | |
| Lepidosaphes beckii (purple scale). Parlatoria pergandei (chaff scale). Pseudomyrma gracilis var. mexicana (ant). | $\mathbf{D_0}$. | | |

| Country of origin and name of pest. | Host. |
|---|-------------------------------------|
| MEXICO—continued. | |
| Diseases: Colletotrichum gloeosporioides | Citrus grandis. Citrus sinensis. |
| DoGloeosporium sp. | |
| Penicillium digitatum | |
| Penicillium italicum. | Do. |
| Penicillium sp. | |
| Perisporium ŵrightii | Cactus grandiflora. |
| NEW ZEALAND. | |
| Aspidiotus camelliae (greedy scale) | Meryta sinclairii. |
| NICARAGUA. | |
| Insects: | |
| (amponotus maculatus (ant) | Tree fern. Do. |
| PANAMA. | |
| Insects: | Grand (Washer) 11 |
| Geometrid. Phthorimaea operculella (Gelechiidae) | Spruce (Koster's blue). Potatoes. |
| Diseases: Bacterial soft rot | Do. |
| Fusarium sp. | |
| D_0 | |
| PHILIPPINE ISLANDS. | |
| nsects: Araecerus fasciculatus (coffee-bean weevil) | Sequidilla (seed). |
| Elaterid. | |
| Formicid (ant) | Do. |
| Lophocateres pusillus (Ostomidae) | Vigna sesquipedalis. |
| Parlatoria pseudaspidiotus (scale insect) | Orchids. |
| Pseudococcus crotonis (mealy bug) | Do. Do. |
| Tenebrioides mauretanica (Trogostidae) | Tendong seed. |
| Diseases: | |
| Aspergillus flavus | Psophocarpus tetragonolobus. |
| Fusarium sp | |
| Mucor sp. | Do. |
| PORTO RICO. | |
| nsects: Diatraea sp. (Pyralidae) | Sugar cane. |
| Pseudococcus sacchari (mealy bug). | Saccharum officinarum. |
| Pyralid (near Diatraea saccharalis) | Sugar cane. |
| Pyroderces rilevi (Cosmopterygidae) | Do. |
| Targionia sacchari (scale insect) | Do. |
| Diseases: Aspergillus niger | Saccharum officinarum (seed piece). |
| Basisporium gallarum. | Saccharum officinarum. |
| Cercospora vaginae | |
| * Dô | (leaf sheaths). |
| Fungus | Dracaena. |
| Melanconium sacchari | Saccharum officinarum. |
| Do. Trichoderma lignorum | Saccharum officinarum (seed piece). |
| ************************************** | |
| scotland. | |
| Aspidiotus hederae (ivy scale) | Palms. |
| | |

List, by countries, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| Country of origin and name of pest. | Host. |
|---|--|
| SCOTLAND—continued. Diseases: Bacillus sp. (soft rot). Fusarium sp. Penicillium sp. Rhizoctonia solani. | . Do. Do. |
| Insect: Melanotus sp. (Elateridae) | . In earth ballast on ship. |
| Insect: Tribolium madens (black flour beetle) Diseases: Penicillium sp. Do. Rhabdospora sp. Rhizopus sp. Verticillium sp. | Dioscorea pantaphylla. Dioscorea pentaphylla var. Scheelia insignia. |
| SUMATRA. Insect: Turkey. Insect: Polymbon comption (Platteries) | Conton. |
| Polyphaga aegyptiaca (Blattariae) VENEZUELA. Insect: Aleuroplatus sp. (Aleurodidae) | |

LIST, BY STATES AND TERRITORIES, OF PESTS COLLECTED AND REPORTED FROM APRIL 1, 1919, TO JUNE 30, 1919, INCLUSIVE.

[The number in parentheses following name of country indicates the number of times reported, if collected more than once.]

| State in which collected and name of pest. | Host. | Country of origin. | Collector. |
|--|--------------------|--------------------|------------------|
| CALIFORNIA. | | | <u> </u> |
| ects: | | | |
| Aphid | Cherry | France | L B Cody |
| Do | | Japan | G R Wilson |
| Do | | do | H. Sargent. |
| Aphis podi (plant louse) | (?) | do | D P T MacDonal |
| Aspidiotus brittannicus (scale insect) | Bay trees | Belgium | C. H. Varv. |
| Do | do | do | J. W. Mashmeyer. |
| Camponotus maculatus (ant) | Tree fern | Nicaragua | L. A. Whitney. |
| Ceroplastes sp. (wax scale) | Pyrus | | |
| Coccus hesperidum (soft brown scale) | Bay trees | | |
| Do | Laurel trees | Belgium (3) | C. H. Varv. |
| Do | Laurel trees | Japan | J. W. Mashmeyer. |
| Crambus sp. (Pyralidae) | Rice straw packing | do | C. H. Vary. |
| Crematogaster brevispinosa (ant) | In packing | do | H. Sargent. |
| Diaspis boisduvalii (scale insect) | Orchid plants | England | D. P. T. MacDona |
| Drosophila (Drosophilidae) | | Japan | V. G. Stevens. |
| Flathead borers | Photinia | do | G. R. Wilson. |
| Formicid (ant) | Sago palm | do | D. P. T. MacDona |
| Do | Orchid | Mexico | G. R. Wilson. |
| Iridomyrmex humilis (ant) | In packing | Japan | H Sargent |

List, by States and Territories, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| State in which collected and name of pest. | Host. | Country of origin. | Collector. |
|---|---------------------------|--------------------|-------------------------------|
| CALIFORNIA—continued. | | | |
| Insects—Continued. | | | , |
| Lachnus sp. (Aphididae, subfamily Lachninae). | Juniper | Japan | V. G. Stevens. |
| Lasius niger (ant) | In packing | do | G. R. Wilson. |
| Lecanium cerasorum (scale insect) | Wistaria | do | Do. |
| Lecanium sp. (scale insect) | Nandina | do | D. P. T. MacDonald. |
| Do | Wistaria | do | J. W. Mashmeyer. |
| Do | do | do | |
| Do Otiorhynchid | In packing | do | C. H. Vary. |
| Parlatoria pergandei (chaff scale) | Camellia | do | H. Sargent. H. R. Hunt. |
| Do | Camellias | do | J. W. Mashmeyer. |
| Parlatoria pseudaspidiotus (scale insect | Orchids | Philippine Islands | G. R. Wilson. |
| Prenolepis sp. near mexicana (ant) | Tree fern | Nicaragua | L. A. Whitney. |
| Pseudaonidia duplex (scale insect) | Azaleas | Japan | C. H. Varv. |
| Do | Camellia | do | V. G. Stevens. |
| Do | Mokkoku plant | do | J W Mashmeyer |
| Pseudaonidia sp. (scale insect) | Orchids | Philippine Islands | G. R. Wilson |
| Pseudococcus crotonis (mealy bug) | do | do | Do. |
| Pseudococcus sp. (mealy bug) | Actus | England | L. A. Whitney. |
| Do | | do | Do. |
| Do | | Japan | V. G. Stevens. |
| Do | Retinospora obtusa | do | G. R. Wilson. |
| Do | Wistaria | do | H. Sargent. |
| Do | do | do | C. H. Varv. |
| Pulvinaria sp. (scale insect) | do | do | D. P. T. MacDonald. |
| Thyridopteryx ephemeraeformis (bag worm). | Cedar | do | C. H. Vary. |
| Do | Mokkoku plants | do | J. W. Mashmeyer. |
| Thyridopteryx sp. (Psychidae) | Daphne | do | V. G. Stevens. |
| Thrips | Maple | do | G. R. Wilson. |
| Xyleborus sp. (Scolytidae) | Wistaria | do | D. P. T. MacDonald. |
| Disease: Penicillium sp | Limes | Mexico | L. A. Whitney. |
| CONNECTICUT. | | | |
| Insects: Aphodius sp. (Scarabaeidae) | (2) | Holland | D II Wolden |
| Coccus hesperidum (soft brown scale) | Laurel (leaves and trees) | Belgium (2) | B. H. Walden. M, P. Zappe. |
| Curculionid | (?) | Holland (2) | Do. |
| Do | l do | Holland ` | B. H. Walden. |
| Elaterid | do | Holland (2) | M P Zanne |
| Do | In soil | Holland | B H Walden |
| Emphytus cinctus (sawfly) | Manetti rose stocks | France | K. F. Chamberlain. |
| Do. | D M | do | M. P. Zappe. |
| Do Euproctis chrysorrhoea (brown-tail | | do | B. H. Walden. |
| moth) | 1 ' ' | 1 | |
| Forficulid (earwig) | In case | Holland | Do. |
| Lampyrid | (?) | do | Do. |
| Forficulid (earwig) | Boxwood | Holland (5) | K. F. Chamberlain. |
| Do | do | Holland (6) | B. H. Walden. |
| Do | do | Holland (5) | M. P. Zappe. |
| Do | Ornamental shrubs | Holland | K. F. Chamberlain. |
| Do Malacosoma neustria (European lackey | Roywood | do | B. H. Walden. |
| moth) | | | |
| Malacosoma en (Laciocampidae) | (2) | do | B. H. Walden. |
| Malacosoma sp. (Lasiocampidae) Otiorhynchus sulcatus (Otiorhynchi- | dodo | do | M. P. Zappe. |
| dae) | | ! | |
| Staphalinid | do | do | M. P. Zappe. |
| Disease: | | i i | •• |
| Bacterium tumefaciens (crown gall) | 1 Kosa manetti | France, | B. H. Walden, |

List, by States and Territories, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| State in which collected and name of pest. | Host. | Country of origin. | Collector. |
|---|---------------------------|----------------------|-------------------------------|
| DISTRICT OF COLUMBIA. | | • | |
| Insects: | (0) | 37 | TT T C |
| Aleuroplatus sp. (Aleurodidae) | (?) | Venezuela | H. L. Sanford. |
| Alphitobius piceus (Tenebrionidae) | Beans | Colombia | H. Y. Gouldman. |
| Do | Peas | do | Do. |
| Apicia confusaria (Geometridae) | Boxwood | Belgium | C. A. Bennett. |
| Araecerus fasciculatus (coffee-bean | Sequidilla (seed) | Philippine Islands | H. L. Sanford |
| weevil). | - | | TI 37 00 |
| Armadillidum vulgare (sow-bug) | Boxwood | Holland | H. Y. Gouldman. |
| Aspidiotus camelliae (greedy scale) | Meryta sinclairii | New Zeland | E. R. Sasser. |
| Bruchus chinensis (weevil) | Cajanus indica | India | C. A. Weigel. |
| Bruchus obtectus (bean weevil) | Phaseolus vulgaris | Colombia | Do. H. Y. Gouldman. |
| Bruchid (weevil) | Leguminosae | India | C. A. Bennett. |
| Bruchus sp. (weevil) | Desmodium pulchellum | India | C. A. Weigel. |
| Do Do | Lephrosia condida | do | Do. |
| D_0 | Mimosa rubricaulis | | H. Y. Gouldman. |
| Do | Piptanthus nepalensis | India (9) | Do. |
| Do | Porana recemosa | India (2) | C. A. Weigel |
| Calandra oryza (rice-weevil) | Rubus lutescens | | C. A. Bennett. |
| Do | Wheat | | H. Y. Gouldman. |
| Do | do | Australia | Do. |
| Capsid | Ipomoea kingii | India | Do. |
| Carpophilus dimidiatus (Nitidulidae) | Beans. | Colombia | D_0 . |
| Do | Peas | do | Do. |
| Carpophilus sp. (Nitidulidae) | Dioscorea. | Hawaii | C. A. Weigel. |
| Cathartus advena (foreign grain beetle). | | | N. Perrine. |
| Coccotrypes sp. (Scolytidae) | Anona seed | | H. L. Sanford. |
| Do | Chamaedorea Karwinskiana. | do | Do. |
| Crematogaster (ant) | Bromelia | do | C. A. Weigel. |
| Curculionid | Wheat | | H. Y. Gouldman. |
| Diatraea sp. (Pyralidae) | Sugar cane | Porto Rico | C. A. Bennett. |
| Entedon sp. (?) | Mimosa rubricaulis | India | |
| Entedon sp | Porana racemosa | do | C. A. Weigel. |
| Euchroma gigantea var. goliath (Bu- | (?) | Colombia | H. Y. Gouldman. |
| prestidae). | 1 _ | | |
| Howardia biclavis (mining scale) | Cacao | British West Indies. | Do. |
| Iridomyrmex sp. (ant) | Latanum macrodon | | C. A. Weigel. |
| Julus fallax (Milliped) | Boxwood | | |
| Lasioderma serricorne (cigarette beetle) | Beans | Colombia | |
| Do | Peas | | Do. Do. |
| DoLecanium corni (European fruit Le- | SeedsBoxwood | | H. L. Sanford. |
| canium. | boxwood | Homand | 11. 11. Banford. |
| Do | do | do | C. A. Weigel. |
| Lepidosaphes ulmi (oyster-shell scale). | do | do | C. A. Bennett. |
| Do | do | do | H. L. Sanford. |
| Do | do | do | C. A. Weigel |
| Loberus sp. (Cryptophagidae) | Crotalaria sp | Colombia | Do. |
| Loberus sp. (Cryptophagidae) Lonchaea polita (Sapromyzidae) | Seeds (miscellaneous) | do | H. Y. Gouldman. |
| Lophocateres pusillus (Ostomidae) | Vigna sesquipedalis | Philippine Islands | Do. |
| Macrosiphum sanborni (chrysanthe- | Greenhouse plants | Belgium | C. A. Weigel. |
| mum aphis) | | | |
| Microbracon sp. (Braconidae) | Trifolium panormitanum | | Do. |
| Monarthropalpus buxi (box leaf miner). | Boxwood | | H. L. Sanford. |
| Do | do | do | C. A. Weigel. |
| Myrmica rubra subsp. laevinodis (ant). | | | H. Y. Gouldman. |
| Otiorhynchid (beetle) | | | Do. N. Perrine. |
| | Pyrus communis | China | |
| Parlatoria pergandei (chaff scale) Pheidole sp. (ant) | | Costa Rica | Do. H. Y. Gouldman. |
| Do | | | Do. |
| Phycitid (Pyralidae) | Cotton seed. | Algiers | N. Perrine. |
| Pseudococcus sacchari (mealy bug) | Saccharum officinarum | Porto Rico | J. A. Stevenson. |
| T POUR OCCURS BACCHAIL (III DAIL) DUB/ | | | The vensul. |
| | Sugar cane | L Ciling. | N Parrina |
| Do | Sugar canedodo | Porto Rico | N. Perrine. C. A. Bennett. |

List, by States and Territories, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| State in which collected and name of pest. | Host. | Country of origin. | Collector. |
|---|--|----------------------|------------------|
| DISTRICT OF COLUMBIA—continued. | | | |
| nsects—Continued. | | | , |
| Saissetia hemisphaerica (hemispherical scale). | Chrysanthemum | Australia | C. A. Weigel. |
| Sigibius puritanus (Chilopod) | Packing about Azalea hin- odegiri. | Holland | H. Y. Gouldman |
| Silvanus surinamensis (saw-toothed grain beetle). | Beans | Colombia | Do. |
| Do | Peas | do | Do. |
| Do | Wheat | Australia | Do. |
| Sitodrepa panicea (Anobiidae) | Potato (?) | | Do. |
| Strategus julianus (Scarabaeidae) | (?) | Colombia | Do. |
| Targionia hartii (scale insect) | Sweet potatoes | Africa | Do. |
| _ Do | Yams | do | Do. |
| Targionia sacchari (scale insect) | Sugar cane | Porto Rico | C. A. Bennett. |
| Tenebrioides mauretanica (Trogostidae) | Tendong seed | | Do. |
| Tineid | Cotton | | H. Y. Gouldman. |
| Tribolium confusum (confused flour beetle). | Wheat | Australia | Do. |
| Tribolium madens (black flour beetle) | Tubers | Straits Settlements. | C. A. Weigel. |
| viseases: Aspergillus sp | Oxalis | Argentine | J. A. Stevenson. |
| Aspergillus flavus | Larrea divaricata | do | Do. |
| Do | Psophocarpus tetragonolobus | Philippine Islands | Do. |
| Do | Saccharum officinarum (stalks). | Cuba | Do. |
| Do | Solanum tuberosum | Holland | Do. |
| Do | Theobroma cacao | | Do. |
| Aspergillus niger | Saccharum officinarum | Porto Rico | Do. |
| Do | Solanum tuberosum (tubers). | | Do. |
| Aspergillus ochraceous | Theobroma cacao (seeds) | Guatemala | Do. |
| Bacillus sp. (soft rot) | Solanum tuberosum (tubers). | Scotland | |
| Basisporium gallarum | Saccharum officinarum | Porto Rico | J. A. Stevenson. |
| Cephalothecium roseum | Chrysanthemum | Australia | Do. |
| Cercospora vaginae | Saccharum officinarum | Cuba | Do. |
| $\mathrm{D}\dot{\tilde{\mathrm{o}}}$ | do | Porto Rico | Do. |
| Do | Saccharum officinarum var. Rayada (leaf sheaths). | do | Do. |
| Chaetomium olivaceum | Oxalis | Argentine | Do. |
| Cladosporium graminum | Eremochloa ophiuroides | China | C. H. Kauffman. |
| Cladosporium sp | Ipomoea batatas | British West Indies. | J. A. Stevenson. |
| Cladotrichum sp | Strophanthus gratus | Africa | J. Monteith, jr. |
| Colletotrichum sp | Avocado | Ecuador | J. T. Rogers. |
| Dendrodochium sp | Oxalis | Argentine | J. A. Stevenson. |
| Diplodia sp | Nephelium lappaceum var. Ramb. Atjeh Kouto. | Java | J. T. Rogers. |
| Diplodia tubericola | Ipomoea_batatas | British West Indies. | J. A. Stevenson. |
| Diplosporium sp | Achras zapota | Africa | J. Monteith, jr. |
| Fusarium sp | Boxwood | Holland | J. T. Rogers. |
| Do | Achras zapota | Africa | J. Monteith, jr. |
| Do | Cassia fistula | do | Do. |
| Do | Citrus (fruit) | China | J. A. Stevenson. |
| Do | Colocasia esculenta | British West Indies. | Do. |
| Do | Elephantopus floribunda | Africa | J. Monteith, jr. |
| Do | Eremochloa ophiuroides | China | C. H. Kauffman. |
| Do | Hyophorbe verschaffeltii | Africa | J. Monteith, jr. |
| Do | Ipomoea batatas | British West Indies. | J. A. Stevenson. |
| Do | Lansium domesticum | Java | J. Monteith, jr. |
| Do | Nephelium lappaceum | do | Do. |
| Do | do | do | J. T. Rogers. |
| Do | Psophocarpus tetragonolobus (seed). | 7 | J. A. Stevenson. |
| Do | Solanum tuberosum (tubers). | Colombia | Do. |
| Do | do | Scotland | J. T. Rogers. |
| Do | Tephrosia vogelii | Africa | J. Monteith, jr. |
| Do | Thrinax microcarpa | d. | Do. |

List, by States and Territories, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| State in which collected and name of pest. | Host. | Country of origin. | Collector. |
|---|--|---------------------------|--------------------------------------|
| DISTRICT OF COLUMBIA—continued. | | • | • |
| Diseases—Continued. | | | |
| Gloeosporium sp | Cactus grandiflora | Mexico Cuba | G. H. Weinert. J. A. Stevenson. |
| Do | Saccharum officinarum (seed piece). | Porto Rico | Do. |
| Do | Saccharum officinarum | do | Do. |
| Monilia sp | Caryocar nucifera | British Guiana | J. T. Rogers. |
| Mucor sp | Psophocarpus tetragonolobus Elephantopus floribunda | Philippine Islands Africa | J. A. Stevenson. J. Monteith, jr. |
| Penicillium digitatum | Citrus (fruit) | China | J. A. Stevenson. |
| Do | Dioscorea pentaphylla | British West Indies. | Do. |
| Do | do | Straits Settlements. | Do. |
| Penicillium sp | Inomosa hatataa | British West Indies. | Dò. Do. |
| Do Do | Ipomoea batatas | Cuba | Do. |
| Do | Solanum tuberosum | Holland | J. T. Rogers. |
| $\widetilde{\mathrm{Do}}$ | Solanum tuberosum (tubers). | Colombia | J. A. Stevenson. |
| D_0 | do | Scotland | J. T. Rogers. |
| Perisporium wrightii | Cactus grandiflora | Mexico | G. H. Weinert. |
| Pestalozzia sp | Quercus ternaticupula | Japan | J. A. Stevenson. |
| DoPhoma seposita | Rhipsalis (cuttings) | Ecuador | J. T. Rogers. Do. |
| Phyllachora trifolii | Trifolium panormitanum | Algeria | J. A. Stevenson. |
| Phyllosticta sp. | Boxwood | Holland | J. T. Rogers. |
| Rhabdospora sp | Scheelia insignis | Straits Settlements. | C. H. Kauffman. |
| Rhabdospora sphaeroides | Wistaria | Holland | J. T. Rogers. |
| Rhizoctonia solani | Solanum tuberosum (tubers). | Scotland | Do. |
| Rhizopus nigricans | Dioscorea pentaphylla Ipomoea batatas | British West Indies. | J. A. Stevenson. Do. |
| Rhizopus sp. | Dioscorea pentaphylla | Straits Settlements. | Do. |
| Saccharomyces sp | Nephelium lappaceum | Java | J. T. Rodgers. |
| Schizophyllum commune | Wistaria | Holland | Do. |
| Sclerotium rolfsii | Colocasia esculenta | British West Indies. | J. A. Stevenson. |
| Sphaeropsis sp. | Quercus sp | Japan | Do. |
| Sporotrichum sp. Trichoderma lignorum | Tephrosia vogelii Saccharum officinarum (seed | Africa Porto Rico | Do. Do. |
| Tremoderna nghorum | piece). | 10100 11100 | 150. |
| Tubercularia vulgaris | Wistaria | Holland | J. T. Rogers. |
| Verticillium sp | Dioscorea pentaphylla | Straits Settlements. | J. A. Stevenson. |
| Do | Oxalis | Argentine | Do. |
| Volutella buxi | Boxwood | Holland | J. T. Rogers. |
| Zychorrhynchus sp | Caesalpinia | Africa | J. Monteith, jr. |
| FLORIDA. | | | |
| Carpophilus dimidiatus (Nitidulidae) | Tubers | Cuba | (?) |
| ILLINOIS. | | | |
| nsects: | | | · |
| Aphid | Juniper | Holland | P. A. Glenn. |
| Do | Spruce (blue) | Belgium | Do. G. E. Fager. |
| scale). Eriophyes quadrisetus subsp. juniperus (juniper needle-mite). | Juniperus procumbens | Holland | A. H. Hill. |
| Hemichionaspis aspidistrae (Aspidistra scale). | Aspidistra | Bermuda | G. E. Fager. |
| Lepidosaphes ulmi (oyster-shell scale) | Boxwood | Holland | F. Bengert. |
| Do | do | do | C. B. Dull. |
| Do | do | Holland (2) | G. E. Fager. |
| Oniscid (sow-bug) | (?) | Holland | W. E. Britton. |
| Do Wireworms | In packingSoil | do | P. A. Glenn. C. J. Bougert. |
| Disease: | | uv | O. J. Dougert. |
| Anthracnose | Aspidistra leaves | - | |

List, by States and Territories, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| State in which collected and name of pest. | Host. | Country of origin. | Collector. |
|---|---|---------------------------------|-------------------------------|
| · 'INDIANA. | | | |
| nsects: Elaterid Euproctis chrysorrhoea (brown-tail | Abies roots | Francedo | P. Spong. E. Smith. |
| moth). Tetranychus telarius (red spider) | (?) | do | Do. |
| Diseases: Bacterium tumefaciens (crown gall) Nematode galls | Arborvitae | dodo | P. Spong. E. Smith. |
| IOWA. | | | |
| nsect: Rhynchophorus larva (Calandridae) | Abies numidica | do | H. Ness. |
| KENTUCKY. | | | |
| pisease: Phyllosticta mahonaeicola forma mi- crospora. | Mahonia sp | Holland | H. Garman. |
| LOUISIANA. | | | |
| New Orleans (Federal Inspection). | | | • |
| nsect: Tetranychus sp. (red spider) | Boxwood | Holland | E. Foster. |
| nsects: Alphitobius piceus (Tenebrionidae) Anastrepha fraterculus (?) (Trypetidae). Do | Mangos | Cuba (3) | O. K. Courtney. Do. Do. |
| Do | Wheat | Guatemala (3)AustraliadoAfrica. | Do. Do. Do. Do. |
| Cymatodera sp. Drosophila (?) Lepidosaphes beckii (purple scale) Melanotus sp. (Elateridae) | MangoGrapefruit | Mexico | Do. Do. Do. Do. |
| Parlatoria pergandei (chaff scale) | Grapefruit | Mexico Panama | Do. Do. Do. |
| iseases: | T | _ | . |
| Bacterial soft root. Colletotrichum gloeosporioides Do | Potatoes Citrus sinensis Citrus grandis | | Do. Do. Do. |
| Fusarium sp Do | Potatoes | | Do. Do. |
| Penicillium digitatum Penicillium italicum | | | Do. Do. |
| MAINE. | : | | |
| nsect: Lepidosaphes ulmi (oyster-shell scale) | Ornamental shrub | Holland | D. S. Clement. |
| MARYLAND. | | | |
| nsects: Lecanium corni (European fruit Le- | Ornamental trees | Holland | E. N. Cory. |
| canium). Lepidosaphes ulmi (oyster-shell scale) Do | do | Holland (4) | Do. C. B. Nichels. |
| Do Do | Ornamental trees | Holland (2) Holland | C. E. Temple. E. N. Cory. |
| MASSACHUSETTS. | | | |
| nsects: Coccus hesperidum (soft brown scale) Lepidosaphes ulmi (oyster-shell scale) | Acer | Holland | R. H. Allen. C. W. Nash. |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | Boxwood do | Holland (5) | J. R. Brubaker. |

List, by States and Territories, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| State in which collected and name of pest. | Host. | Country of origin. | Collector. |
|--|---|------------------------------------|-----------------------------------|
| MASSACHUSETTS—continued. | | - | |
| Insects—Continued. Lepidosaphes ulmi (oyster-shell scale). | Boxwooddo | Holland | P. A. Mader. |
| Notolophus antiqua (European tussock moth). | Hydrangea | do | P. B. Armstrong. |
| Do´ | Rose Boxwood. | | Do. D. Potter. |
| Diseases: Exobasidium sp Do | RhododendronsAzalea | England France | P. B. Armstrong. L. H. Taylor. |
| MISSISSIPPI. | | | |
| Aspidiotus hederae (ivy scale) Coccus hesperidum (soft brown scale) | Bay treesdo | Belgiumdo | J. M. Langston. Do. |
| MISSOURI. | | | |
| Insect: Lepidosaphes ulmi (oyster-shell scale). | Boxwood | Holland | K. C. Sullivan. |
| NEW JERSEY. | | | |
| Insects: Aphid | Japanese maples Palmsdo. | Holland England (2) Scotland | G. L. Walters. |
| Gracilaria zachrysa (azalea leaf miner). Lecanium corni (European fruit Le- | Azalea. Boxwood | Holland (3) | A. S. Nicolay. |
| canium). Lepidosaphes ulmi (oyster-shell scale). Do Psylla buxi (box psylla) | dodododo | Holland (8) | E. West. |
| Psylla buxi (box psylla) Tingitid (lace-bug) Diseases: | Rhododendrons | Holland (17) Holland | A. S. Nicolay. Do. |
| Bacterium tumefaciens (crown gall) Botrytis cinerea Do | Kalmia | Holland | Do. E. West. Do. |
| Puccinia graminis (black rust of grain). | On grass packing | | Do. |
| NEW YORK. | , | | |
| New York City (Federal Inspection). | | | |
| Insects: | , , | | |
| Alphitobius piceus (Tenebrionidae) Blaberus atropis (roach) | Orchids | ldo | Do. |
| Bruchus sp. (weevil) | ldo | do | \mathbf{D}_{0} |
| Necrobia rufipes (red-legged ham beetle). | Palm nut kernels | Africa | H. B. Shaw. |
| Panchlora sp. (roach) Periplaneta australasiae (roach) | Orchidsdo | Colombiado | D. G. Tower. Do. |
| Polyphaga aegyptiaca (Blattariae) Pycnoscelus surinamensis (roach) | Opium (crude) Orchids | Turkey | H. B. Shaw. D. G. Tower. |
| Do | In soil (about Bougainvillea) In soil (about rose) | British West Indies. | |
| Diseases: | Avocados | | |
| Bacterial soft rot | Dracaena | Colombia (2) Porto Rico | Do. Do. |
| Fusarium sp | Avocados | Colombia (2) | Do. |
| Gloeosporium sp | Persea gratissima | Colombia (2) | Do. |

List, by States and Territories, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| | State in which collected and name of pest. | Host. | Country of origin. | Collector. |
|-----|---|---|-----------------------------|------------------------------|
| | оніо. | | | |
| | ects: | - | | |
| | Lepidosaphes ulmi (oyster-shell scale). | Boxwood | Holland (2) | H. E. Evans. |
| | Do | do | do | R. Faxon. |
| | Notolophus antiqua (European tussock moth). | Pear seedlings | France | H. E. Evans. |
| | ease: | 0 | 1- | D |
| | Bacterium tumefaciens (hairy root) | Quince seedlings | ao | Do, |
| | PENNSYLVANIA. | | * * | |
| | ets: | Dag. J | Tomore | T2 M (D): 11 |
| | Aegeriid | Pseudocerasus sp | Japan | |
| | Aphid | Bay trees | Belgium | |
| | Athous niger (Elateridae) | Soil (around roots of rhodo- dendrons. | Holland | J. K. Primm. |
| | Coccus hesperidum (soft brown scale) | Oranges | England | F. M. Trimble. |
| | Coleophora sp. (Elachistidae) | Oak (red) | Holland | D. L. Dolbin. |
| | Curculionid | Andromeda | do | G. B. Stichter. |
| | Diaspis boisduvalii (scale insect) | Orchids | England | F. M. Trimble. |
| | Do | Pandanus | Bermuda | Do. |
| | Do | Pandanus veitchii | do | Do. |
| | Diaspis sp. (scale insect) | do | | |
| | Eucalymnatus tessellatus (tessellated scale). | Cypripedium | England | Do. |
| | Euproctis chrysorrhoea (brown-tail moth). | Cotoneaster | France (2) | Do. |
| | Formicid (flying ant) | In soil (around rhododendrons). | Holland | Do. |
| | Gracilaria zachrysa (azalea leaf-miner). | Azalea | Belgium | Do. |
| | Do | do | do | F. M. Trimble. |
| | Hemichionaspis aspidistra (Aspidistra | Aspidistra | Japan | J. K. Primm. |
| | scale). | * | • | |
| | Do | Azalea sp | Belgium | Do. |
| | Lasiocampid | Ilex crenata | Japan | D. L. Dolbin. |
| | Leaf miner | Holly | Holland | P. A. Mader. |
| | Lecanium corni (European fruit Leca- | Boxwood | do | J. K. Primm. |
| | nium). | _ | _ | |
| | Do | :do | | F. M. Trimble. |
| | Lecanium fletcherii (scale insect) | Thuya occidentalis | do | \mathbf{po} . |
| | Lepidosaphes beckii (purple scale) | Oranges | England | Do. |
| | Lepidosaphes ulmi (oyster-shell scale). | Beech | Holland | H. B. Kirk. |
| | Do | Cotoneaster amoena. | France | F. M. Trimble. |
| | Do | Cotoneaster humifusa | do | |
| | Do | Boxwood | Holland (7) | D. L. Dolbin. |
| | Do | do | Holland (3) Holland (23) | T. L. Guyton. |
| | Do | | Holland (6) | P. A. Mader. J. K. Primm. |
| | Do | | Holland (5) | P. M. Richards. |
| | Do | | Holland (a) | G. B. Stichter. |
| | Do | | Holland (15) | F M Trimble |
| | Leptobyrsa explanata (Tingitidae) | Rhododendrons | Holland (3) | J. K. Primm. |
| | Do | | Holland (4) | |
| | Liparid (tussock moth) | Azalea | Holland | J. K. Primm. |
| . : | Malacosoma disstria (forest tent cater- | | do | F. M. Trimble. |
| | pillar). | | | T. M. Hilliole. |
| | Notolophus antiqua (European tussock | Lonicera sp. | France | Do. |
| - | moth). | | | 200 |
| | Do | Oak | Holland | D. L. Dolbin |
| | Pierid | Philadelphus coronarius | France | J. K. Primm. |
| | Psyche villosella (Psychidae) | Juniperus aurea | Holland | F. M. Trimble |
| | Psylla buxi (box psylla) | Boxwood | | P. A. Mader. |
| | | do | | E M (B11 |

List, by States and Territories, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| | 1 | 1 | |
|---|--------------------------|--------------------|---------------------------|
| State in which collected and name of pest. | Host. | Country of origin. | Collector. |
| PENNSYLVANIA—continued. | | , | |
| Insects—Continued. | | | |
| Phyllosticta sp | Mahonia japonica | Holland | J. K. Primm. |
| Phylctaenia ferrugalis (greenhouse leaf | Azalea | | P. A. Mader. |
| tyer). | 2 | 2 organization | |
| Phyllodecta vulgatissima (Chrysom- | Laburnum | Holland | D. L. Dolbin. |
| elidae). | • . | * ** | |
| Rhynchophorus beetle (?) | | | |
| Saissetia oleae (black scale) | Abutilon corillon | do | |
| Do | | | Do. |
| White grubs | | Holland | J. K. Primm. |
| | drons). | , | T . |
| Wireworm | do | ao | Do. |
| Diseases: | Manual stock | Eman an | F. M. Trimble. |
| Bacterium tumefaciens (crown gall) | | France | D. L. Dolbin. |
| Exobasidium sp | Azarea mnodegni | do | |
| Do | Azaleas | Relgium | Do. |
| Do | do | do | F. M. Trimble. |
| Exobasidium vaccinii | Rhododendron wilsonii | Holland | Do. |
| Pestalozzia guenini | Kalmia latifolia | do | P. A. Mader. |
| Do | do | do | |
| Pestalozzia sp | Rhododendrons | Holland (3) | |
| Phyllosticta sp | Berberis japonica | Holland | J. K. Primm. |
| | | | |
| SOUTH DAKOTA. | | | |
| Insects: | | | a a |
| Aphid | | | G. Gilbertson. |
| Armadillidium vulgare | | France | Do. |
| Lepidosaphes ulmi (oyster-shell scale) | Crab-apple | Holland | H. C. Severn. |
| Malacosoma americana (tent cater- pillar). | (?) | do | Do. |
| Tortricid | (?) | do | Do. |
| Diseases: | . (,) | | Б0. |
| Bacterium tumefaciens (crown gall) | Crab-apple | do | Do. |
| Do | | | Do. |
| | | | |
| TEXAS. | | | |
| | | | |
| $Brownsville\ (Federal\ inspection).$ | | | |
| T., | | 1 | |
| Insects: Harrisina brillians (Pyromorphidae) | . Cactus grandiflora (?) | Morios | G. H. Weinert. |
| Pseudomyrma gracilis var. mexicana | do | do | Do. |
| (ant). | | | D 0. |
| (4110). | | | |
| VIRGINIA. | | | |
| Insects: | | 1 | + 4 |
| Lecanium sp. (scale insect) (?) Lepidosaphes ulmi (oyster-shell scale) | Boxwood | Holland | G. W. Underhill. |
| Lepidosaphes ulmi (oyster-shell scale) | . do | Holland (2) | Do. |
| | | | · |
| WASHINGTON. | | | |
| 9 (T. 1 . 1 | | | |
| $Seattle\ (Federal\ inspection).$ | | | |
| Ingoata | | | |
| Insects: Chrysomphalus aurantii (California | Shaddock | Janan | H. Sargent. |
| red scale). | Diaddock | o apan | II. Daigoni. |
| Phenacaspis sp. (scale insect) | .ldo | do | Do. |
| Diseases: | | | 20. |
| | | Ť | |
| Colletotrichum gloeosporioides | | do | Do. |
| Colletotrichum gloeosporioides | Citrus sinensis. | dodo | Do. A. G. Webb. |
| Colletotrichum gloeosporioides Do | Citrus sinensis do | do | |
| Colletotrichum gloeosporioides Do | Citrus sinensis do | dodododo | A. G. Webb. Do. Do. |

List, by States and Territories, of pests collected and reported from April 1, 1919, to June 30, 1919, inclusive—Continued.

| State in which collected and name of pest. | Host. | Country of origin. | Collector. |
|--|----------------------------|--------------------|----------------|
| WISCONSIN. | | | |
| nsects: | | | |
| | Acer platanoides | Holland | S B Fracker |
| AphidGeometrid | Spruce (Koster's blue) | Panama | T T Heack |
| Lepidosaphes ulmi (oyster-shell scale). | Crete orne | Holland | S B Fracker |
| Psylla buxi (box psylla) | CrataegusOrnamental shrubs | do | Do D. Flacker. |
| Saperda populnea (small aspen borer) | Populus bolleana | France | T T Hoods |
| Diseases: | ropulus boneana | France | 1. 1. Haack. |
| | Contagona | TTalland | C D Frankan |
| Bacterium tumefaciens | | Holland | S. B. Fracker. |
| Pestalozzia guepini | Rhododendrons | αο | Do. |
| HAWAII. | | | |
| nsects: | | | |
| Cnidocampa flavescens (Oriental moth) | Camallia | Innan | D. B. Langford |
| Elaterid | Onobida | Philippine Islands | Do. Dangioid. |
| Formicid (ant) | Orenius | rumppine islands | Do. Do. |
| Formicid (ant) | Ti - 4 | do | |
| Melanauster chinensis (Cerambycidae). | Fig trees | | Do. |
| Monomorium pharaonis (small red ant). | In soil | Japan | Do. |
| Disease: | | _ | |
| Brown velvet fungus. | Cherry trees | do | Do. |